

Safety Data Sheet according to Regulation (EC) No 1907/2006

Telefax: +49-6183-80014-14

POLYTOP GmbH

Print date: 02.05.2013 Page 1 of 6 **Diamant SF**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diamant SF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Car Polish

1.3. Details of the supplier of the safety data sheet

Company name: POLYTOP GmbH Street: Langenselbolder Str. 8 Place: D-63543 Neuberg Telephone: +49-6183-80014-0

e-mail: info@polytop.de Internet: www.polytop.de

Responsible Department: Zentrale Tel. +49-6183-80014-0

Further Information

GHS/CLP-classification and labelling in accordance with regulation 1272/2008/EU (incl.790/2009/EU) for mixtures entry into force from 01.06.2015

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture is not classified as dangerous according to Directive 1999/45/EC.

GHS classification

This mixture is not classified as dangerous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

EU 648/2004: non-ionic surfactants <5%, Preservatives. (Methylchloroisothiazolinone, Methylisothiazolinone, Tetramethylol-acetylendiurea), Additional information: polishing agents, thickeners



POLYTOP GmbH

according to Regulation (EC) No 1907/2006

Print date: 02.05.2013 Diamant SF Page 2 of 6

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
	Paraffinum Liquidum	5-15 %
8042-47-5		
	Asp. Tox. 1; H304	
01-2119487078-27		
226-408-0	Tetramethylol-acetylendiurea	<0,1 %
5395-50-6	Xi - Irritant R43	
	Skin Sens. 1; H317	
	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0,0015 %
55965-84-9	T - Toxic, C - Corrosive, N - Dangerous for the environment R23/24/25-34-43-50-53	
613-167-00-5	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410	

Full text of R and H phrases: see Section 16.

Further Information

viscosity, dynamic: >20,5 mPas*s (40°C)

Identification is not obligatory. Please observe the information on the safety data sheet at all times. The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

not applicable

After contact with skin

No special measures are necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Do not induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing materials should be selected according to the surrounding area.

The product itself is not combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product.





according to Regulation (EC) No 1907/2006

Print date: 02.05.2013 Page 3 of 6

6.2. Environmental precautions

Product may not be released into water without pre-treatment.

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

Treat the assimilated material according to the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Protect against: frost. storage temperature: of °C: 0 up to °C: 30

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and at the end of work.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Hand protection: not required.

Eye protection

Eye protection: not required.

Skin protection

Skin protection: not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous
Colour: light grey
Odour: characteristic

Test method

pH-Value (at 20 °C): 6,5-8,0 (neutral)

Changes in the physical state

Boiling point: 100 °C Flash point: >170 °C

Lower explosion limits:



according to Regulation (EC) No 1907/2006

Print date: 02.05.2013 Diamant SF Page 4 of 6

Upper explosion limits:

Oxidizing properties

not oxidizing.

Vapour pressure: ca. 22 hPa

(at 20 °C)

Density: 1,07 g/cm³
Water solubility: partially miscible (emulsifiable)
Viscosity / dynamic: 1500-2000 mPa·s
Solvent content: 0%

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

No risks worthy of mention.

10.6. Hazardous decomposition products

No risks worthy of mention.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Preparation not tested.

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
8042-47-5	Paraffinum Liquidum					
	oral	LD50 mg/kg	>5000	Rat.	OECD 401	
	dermal	LD50 mg/kg	>2000	Rabbit.	OECD 402	
	inhalative (4 h)	LC50	>5000 mg/l	Rat.	OECD 403	
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
	oral	ATE	100 mg/kg			
	dermal	ATE	300 mg/kg			
	inhalative	ATE	0,5 mg/l			

Irritation and corrosivity

Not an irritant.

Sensitising effects

no danger of sensitization.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	h	Species	Source
8042-47-5	Paraffinum Liquidum					
	Acute fish toxicity	LC50	>1000 mg/l	96	Leuciscus idus	OECD 203
		ErC50 mg/l	NOEL >100		Pseudokirchnerella subcapitata	OECD 201
	Acute crustacea toxicity	EC50	>100 mg/l	48	Daphnia magna	OECD 202



POLYTOP GmbH

according to Regulation (EC) No 1907/2006

Print date: 02.05.2013 Page 5 of 6

12.2. Persistence and degradability

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

Further information

Doesn't get into the sewage water as long as the process is carried out according to regulations.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

120121 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent grinding bodies and grinding materials other than those mentioned in 12 01 20

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Air transport (ICAO)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 0

Additional information

648/2004: chapter 3 chemical characterization (preparation) Recommendation: Keep out of the reach of children. Safety data sheet available for professional user on request.

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information



POLYTOP GmbH

according to Regulation (EC) No 1907/2006

Print date: 02.05.2013 Page 6 of 6

Full text of R phrases referred to under Sections 2 and 3

23/24/25	Toxic by inhalation.	in contact with	ekin and if	hawollewa
23/2 4 /23	TUXIC DV II II IaiaiiUII.	III COIIIACI WIIII	SKIII AIIU II	Swalloweu.

34 Causes burns.

43 May cause sensitisation by skin contact.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Full text of H statements referred to under Sections 2 and 3

H301	Toxic if swallowed.
11301	TOXIC II SWAIIUWEU.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)