according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000)

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Car Polish

1.3. Details of the supplier of the safety data sheet

Company name: POLYTOP GmbH

Street: Langenselbolder Str. 8

Place: D-63543 Neuberg

Telephone: +49-6183-80014-0 Telefax: +49-6183-80014-14

e-mail: info@polytop.de Internet: www.polytop.de

Responsible Department: Zentrale Tel. +49-6183-80014-0

Further Information

GHS/CLP-classification and labelling in accordance with regulation 1272/2008/EU (incl.790/2009/EU) for mixtures entry into force from 01.06.2015

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

R phrases:

Repeated exposure may cause skin dryness or cracking.

GHS classification

This mixture is not classified as dangerous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

EU 648/2004: aliphatic hydrocarbons >30%, anionic surfactants <5%, non-ionic surfactants <5%, preservatives (Methylchloroisothiazolinone, Methylisothiazolinone, Tetramethylol-acetylendiurea), fragrances (Cinnamyl Alcohol, Citronellol), dye, Additional information: polishing agents, waxes, synthetic polymers (PTFE), silicone oil, thickeners

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000) Page 2 of 7

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
918-481-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)	20-40 %
64742-48-9	Xn - Harmful R65-66	
	Asp. Tox. 1; H304	
01-2119457273-39		
226-408-0	Tetramethylol-acetylendiurea	<0,1 %
5395-50-6	Xi - Irritant R43	
	Skin Sens. 1; H317	
	Fragrance Citronellol	0,01-0,1 %
106-22-9	Xi - Irritant, N - Dangerous for the environment R38-43-51-53	
	Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H317 H411	
	Fragrance Cinnamyl Alcohol	0,01-0,1 %
104-54-1	Xi - Irritant R43	
	Skin Sens. 1; H317	
	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0,0015 %
55965-84-9	T - Toxic, C - Corrosive, N - Dangerous for the environment R23/24/25-34-43-50-53	
613-167-00-5	Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410	

Full text of R and H phrases: see Section 16.

Further Information

viscosity, kinematic: >20,5 mPas·s (40°C).

Identification is not obligatory. Please observe the information on the safety data sheet at all times.

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Wash hands before breaks and at the end of work.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Do not induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000)

Page 3 of 7

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing materials should be selected according to the surrounding area.

The product itself is not combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product.

Provide adequate ventilation.

6.2. Environmental precautions

Product may not be released into water without pre-treatment.

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

Treat the assimilated material according to the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Protect against: frost. storage temperature: of °C: 0 up to °C: 30

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and at the end of work.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Hand protection: not required.

Eye protection

Eye protection: not required.

Skin protection

Skin protection: not required.

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Page 4 of 7 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: viscous Colour: pink

Odour: product-specific

Test method

pH-Value (at 20 °C): 6,5-7,5

Changes in the physical state

not determined Melting point: 100-220* °C Boiling point: Flash point: 70 °C

Explosive properties

In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 0,6 vol. % Upper explosion limits: 8 vol. % >200 °C Ignition temperature:

Oxidizing properties

not oxidizing.

Vapour pressure: 24 hPa

(at 20 °C)

0.98 a/cm³ Density: Water solubility: partially miscible Viscosity / dynamic: 3000-4000 mPa·s

(at 20 °C)

31% Solvent content:

9.2. Other information

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

No risks worthy of mention.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Preparation not tested.

^{*} aliphatic hydrocarbons boiling temperature / boiling range 180-220°C

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000)

Page 5 of 7

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)				
	oral	LD50 mg/kg	>5000	rat	
	dermal	LD50 mg/kg	>5000	rbt	
	inhalative	LC50	>5 mg/l	rat	
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				
	oral	ATE	100 mg/kg		
	dermal	ATE	300 mg/kg		

Irritation and corrosivity

Not an irritant.

Sensitising effects

no danger of sensitization.

Empirical data on effects on humans

Has de-greasing effect on the skin.

Frequently or prolonged contact with skin may cause dermal irritation.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	h	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)					
	Acute fish toxicity	LC50	>1000 mg/l	96	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50	>1000 mg/l		Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50	>1000 mg/l	48	Daphnia magna	

12.2. Persistence and degradability

Organic part of product is bio-degradable.

(Solvent.: Abiotic degradation in Air)

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

Further information

Doesn't get into the sewage water as long as the process is carried out according to regulations.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000) Page 6 of 7

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal

packaging waste); plastic packaging

Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Inland waterways transport (ADN)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Marine transport (IMDG)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

Air transport (ICAO)

14.2. UN proper shipping name: Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): Volatile organic compounds (VOC) in percentage by weight: 31

Additional information

648/2004: chapter 3 chemical characterization (preparation)

Recommendation: Keep out of the reach of children.

Safety data sheet available for professional user on request.

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Full text of R phrases referred to under Sections 2 and 3

23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
34	Causes burns.

38 Irritating to skin.

43 May cause sensitisation by skin contact.

Very toxic to aquatic organisms.Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

Full text of H statements referred to under Sections 2 and 3

H301	Toxic if swallowed.
LIOO4	May be fetal if awallowed and enters sinveys

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013 Polymer High Gloss 2000 (German: Polymer-Hochglanz 2000) Page 7 of 7

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Revision No: 1,91 GB - EN Revision date: 25.02.2011