according to Regulation (EC) No 1907/2006

## Print date: 23.04.2013

# Polymer S

Page 1 of 6

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Polymer S

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Car Polish

# 1.3. Details of the supplier of the safety data sheet

Company name:	POLYTOP GmbH	
Street:	Langenselbolder Str. 8	
Place:	D-63543 Neuberg	
Telephone:	+49-6183-80014-0	Telefax: +49-6183-80014-14
e-mail:	info@polytop.de	
Internet:	www.polytop.de	
Responsible Department:	Zentrale Tel. +49-6183-80014-0	

### **Further Information**

GHS/CLP-classification and labelling in accordance with regulation 1272/2008/EU (incl.790/2009/EU) for mixtures entry into force from 01.06.2015

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is not classified as dangerous according to Directive 1999/45/EC.

### **GHS classification**

This mixture is not classified as dangerous according to Regulation (EC) No. 1272/2008.

## 2.2. Label elements

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

EU 648/2004: aliphatic hydrocarbons 15-30%, non-ionic surfactants <5%, Preservatives. (Methylchloroisothiazolinone, Methylisothiazolinone, Tetramethylol-acetylendiurea), perfumes, Dyestuff., Additional information: Abrasive, wax., synthetic polymers, silicone oil, thickeners

according to Regulation (EC) No 1907/2006

### Print date: 23.04.2013

Polymer S

Page 2 of 6

# Hazardous components

EC No	Chemical name	Quantity		
CAS No	Classification			
Index No	GHS classification			
REACH No				
918-481-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)	15-25 %		
64742-48-9	Xn - Harmful R65-66			
	Asp. Tox. 1; H304			
01-2119457273-39				
226-408-0	Tetramethylol-acetylendiurea	<0,1 %		
5395-50-6	Xi - Irritant R43			
	Skin Sens. 1; H317			
	Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	<0,0015 %		
55965-84-9	T - Toxic, C - Corrosive, N - Dangerous for the environment R23/24/25-34-43-50-53			
613-167-00-5	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410			

Full text of R and H phrases: see Section 16.

### Further Information

viscosity, dynamic: >20,5 mPas\*s (40°C). Identification is not obligatory. Please observe the information on the safety data sheet at all times. The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Wash hands before breaks and at the end of work.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Do not induce vomiting.

Have victim drink large quantities of water, with active charcoal if possible.

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

### 4.3. Indication of any immediate medical attention and special treatment needed

Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Extinguishing materials should be selected according to the surrounding area. The product itself is not combustible.

## **SECTION 6: Accidental release measures**

according to Regulation (EC) No 1907/2006			
Print date: 23.04.2013	Polymer S	Page 3 of 6	
6.1. Personal precautions, protective ed High slip hazard because Provide adequate ventila	e of leaking or spilled product.		
•	ased into water without pre-treatment. or the aquatic environment.		
6.3. Methods and material for containm Collect mechanically. Treat the assimilated ma	ent and cleaning up terial according to the section on waste disposal.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Advice on safe handling Use only in well-ventilate	d areas.		
Advice on protection against fire an No special measures are			
7.2. Conditions for safe storage, includ	ing any incompatibilities		
Requirements for storage rooms an No special measures are			
Advice on storage compatibility No special measures are	necessary.		
Further information on storage cond Protect against: frost. storage temperature: of °C: 0 up to °C: 30	litions		

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# 8.2. Exposure controls

### Protective and hygiene measures

No special measures are necessary.

Wash hands before breaks and at the end of work.

### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

# Hand protection

Hand protection: not required.

### Eye protection

Eye protection: not required.

### Skin protection

Skin protection: not required.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	viscous
Colour:	light green
Odour:	product-specific

pH-Value (at 20 °C):

**Test method** 

7,5-9,5

### Changes in the physical state

according to Regulation (EC) No 1907/2006

Print date: 23.04.2013	Polymer S	Page 4 of 6		
Melting point:	not determined			
Boiling point:	100-220* °C			
Flash point:	70 °C			
Explosive properties In use, may form flammab	le/explosive vapour-air mixture.			
Lower explosion limits:	0,6 vol. %			
Upper explosion limits:	8,0 vol. %			
Ignition temperature:	240 °C			
Oxidizing properties not oxidizing.				
Vapour pressure: (at 20 °C)	24 hPa			
Density (at 20 °C):	1,04 g/cm <sup>3</sup>			
Water solubility:	partially miscible			
Solvent content:	20%			
9.2. Other information				

\* aliphatic hydrocarbons boiling temperature / boiling range 180-220°C

# **SECTION 10: Stability and reactivity**

### 10.4. Conditions to avoid

No risks worthy of mention.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity

Preparation not tested.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)				
	oral LD50 >5000 ra mg/kg			rat	
	dermal LD50 >5000 rb mg/kg		rbt		
inhalative LC50 >5 mg/l rat		rat			
55965-84-9	9 Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)				thiazol-3-one [EC no.
	oral	ATE	100 mg/kg		
	dermal ATE 300 mg/kg				
	inhalative	ATE	0,5 mg/l		

## Irritation and corrosivity

Not an irritant.

# Sensitising effects

no danger of sensitization.

## Empirical data on effects on humans

Has de-greasing effect on the skin.

Frequently or prolonged contact with skin may cause dermal irritation.

according to Regulation (EC) No 1907/2006

## Print date: 23.04.2013

### **Polymer S**

Page 5 of 6

### **SECTION 12: Ecological information**

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	h	Species	Source
64742-48-9	hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclic, note J+P Annex VI (EG1272/2008)					
	Acute fish toxicity	LC50	>1000 mg/l	96	Oncorhynchus mykiss	
	Acute algae toxicity	ErC50	>1000 mg/l		Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50	>1000 mg/l	48	Daphnia magna	

### 12.2. Persistence and degradability

Organic part of product is bio-degradable.

(Solvent.: Abiotic degradation in Air)

The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## 12.3. Bioaccumulative potential

No indication of bio-accumulation potential.

## **Further information**

Doesn't get into the sewage water as long as the process is carried out according to regulations.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

### Waste disposal number of waste from residues/unused products

120121 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent grinding bodies and grinding materials other than those mentioned in 12 01 20

### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

### Contaminated packaging

Water with tenside additive.

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
Inland waterways transport (ADN)	
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
Marine transport (IMDG)	
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.
Air transport (ICAO)	
14.2. UN proper shipping name:	Not a hazardous material with respect to these transportation regulations.

according to Regulation (EC) No 1907/2006

## Polymer S

Page 6 of 6

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Print date: 23.04.2013

Volatile organic compounds (VOC) in percentage by weight: 20%

### Additional information

1999/13/EC (VOC):

648/2004: chapter 3 chemical characterization (preparation) Recommendation: Keep out of the reach of children. Safety data sheet available for professional user on request.

#### National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

### **SECTION 16: Other information**

### Full text of R phrases referred to under Sections 2 and 3

- 23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- 34 Causes burns.
- 43 May cause sensitisation by skin contact.
- 50 Very toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 66 Repeated exposure may cause skin dryness or cracking.

### Full text of H statements referred to under Sections 2 and 3

- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H331 Toxic if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)